

## **ADVERTISEMENT FOR BIDS**

Sealed bids for **Painting Exterior Metal Guardrail at Abingdon Municipal Building** will be received by the Town Manager at the Municipal Building, 133 West Main Street, Abingdon, Virginia, until 2:00 P.M. local prevailing time on **Friday, June 26, 2015**. At which time they will be publicly opened and read aloud. No telegraphic bid or telegraphic modification of a bid shall be considered. There will be a pre-bid walk through of the area on Friday, **June 19, 2015 at 2:00 P.M**

Proposal shall be inscribed on the containing envelope with the Bidder's name and State License number and the inscription, "**Municipal Building Guardrail Painting**".

Specifications, proposal form and plans for the above project are included below. Proposal form must be properly filled out.

The Owner reserves the right to reject any or all bids, to waive any informality or irregularity in any bid received and to accept or reject any and all items of any bid. The Owner also reserves the right to negotiate with the lowest bidder. Any bid received after the time scheduled for the opening of the bids will be returned to the bidder unopened.

**Contractor agrees to the following conditions:**

1. Provide proof of both current Virginia Contractor's licensure and a Town of Abingdon business license.
2. Provide insurance certification as accepted and approved by the Town.
3. Furnish materials, tools and equipment necessary to complete the work.
4. Complete work on or before the completion date agreed to herein.
5. To pay as liquidated damages the sum of fifty dollars (\$50.00) per day for each day exceeding and past the said agreed upon completion date.
6. Strictly practice safety measures in accordance with applicable OSHA regulations.
7. Warrant the job \_\_\_\_\_

**Scope of Work to includes:**

OPTION 1: Includes the following locations:

- a. 78' of railing adjacent to accessible ramp and stairs at Main street entrance into Town Hall.
- b. 51' of railing at west second floor entrance into Town Hall.
- c. Town of Abingdon sign post and adjacent railing.
- d. Post for two (2) gas lights at front of building.

OPTION 2: Includes the following location:

- a. 165' of railing adjacent to accessible ramp and stairs at Barter Theater entrance.
1. Remove loose and peeling paint.
  2. In areas where rust is located:
    - a. Remove rust with wire brush.
    - b. Apply OSPHO rust treatment.
    - c. Apply rust inhibiting primer.
  3. Apply two (2) coats of Sherwin Williams Industrial Enamel or equivalent.
  4. Color and finish to match existing.
  5. Protect adjacent surfaces from paint overages.
  6. While painting, secure area as necessary from pedestrian traffic while maintaining access to entrances into building.
  7. Work will need to be done prior to July 15, 2015.

**Proposal**

Contractor / Bidder \_\_\_\_\_

Contractor / Bidder Representative \_\_\_\_\_

Address \_\_\_\_\_

Commonwealth of Virginia Contractor License Number \_\_\_\_\_

Date \_\_\_\_\_

Proposal Amount      Option 1: \_\_\_\_\_

Option 2: \_\_\_\_\_